

Appendix B

Redmond Community Development Guide Draft Proposed Updates to Development Regulations for Overlake

Introduction

Existing regulations pertaining to Overlake are proposed to be consolidated into one section of the Redmond Community Development Guide (RCDG) to allow for more convenient use. The proposed updates are intended to more clearly communicate the vision and tailor incentives to the area.

Proposed updates include allowed uses, site requirements, and available incentives, including:

- Update the allowed uses chart, including not allowing new drive-thru facilities or vehicle sales in Overlake Village and enabling the City Council to consider allowing utility facilities that are 40 feet in height or greater.
- Clarify the approach for convenience retail and service uses in the Employment Area
- Require 10 percent of new residential development in Overlake be affordable to households earning 80 percent or less than the King County median income and provide a bonus of residential floor area to minimize or eliminate cost
- Establish requirements for minimum amount of usable open space for residential development in Overlake
- Require a minimum residential floor area for new development in Overlake Village and the Overlake Design District
- Measure building height in floors, not feet in Overlake
- Allow for Administrative Design Flexibility in Overlake
- Supplement Citywide design standards with standards for Overlake Village and Overlake Design District, such as standards related to surface parking and parking garages, building form and scale, building materials, ground floor retail and other commercial facades, and pedestrian plazas and open spaces
- Update the street typology and cross-sections for Overlake
- Tailor the incentives available in Overlake Village to goals for the area and desired amenities by allowing additional ways (besides the purchase of transfer of development rights) to develop an additional floor, up to 8 floors total, and for some features, a small increase in residential or commercial floor area above the base. Proposed bonus features include:
 - LEED or similar built green certification
 - Higher proportion of residential development than required
 - Below grade parking
 - Below market rate space to encourage retention of existing retail businesses
 - Public outdoor plaza or other open space
 - Completion of master plan (also a proposed requirement for sites 5 acres in size and larger in the Overlake Village and Overlake Design District)
- Consider more significant incentives (building height up to 10 stories, residential floor area ratio (FAR) up to 4, nonresidential FAR up to .55) for dedication of land for a major park or regional stormwater management facility (2 to 4 acres in size).

RCDG 20C.45 Overlake

20C.45.10 Purpose

Redmond's Comprehensive Plan contains the vision and policies for Overlake. These policies are intended to focus multi-family, office and retail development within the Overlake Urban Center; maintain and enhance Overlake's regional employment role; protect and enhance residential neighborhoods; improve mobility options; balance growth with the provision of needed facilities and services; and protect and enhance the environmental quality of the area.

The regulations set out in this division and related sections of the RCDG are intended to:

1. Implement the Overlake goals and policies as described in the Comprehensive Plan.
2. Guide the location, intensity and phasing of development.
3. Allow for creativity and flexibility in carrying out the vision and policies for Overlake.
4. Encourage private and public investment, appeal to new and existing residents, and attract visitors.
5. Promote attractive streetscapes and urban green spaces.
6. Guide development and investments to support an increasing share of travel by walking, bicycling and use of transit.

20C.45.20 Overlake Sub-Areas

The Overlake neighborhood includes four sub-areas or districts, the intents of which are set forth below. See map entitled Overlake Zones.

Overlake Village (OV): This district provides for a vibrant pedestrian-oriented area with opportunities to live, work, shop and recreate. It is intended to evolve to a true urban residential/mixed use neighborhood in which significant multi-family living opportunities are integrated with a variety of businesses, including retail, office, services and entertainment uses. The map entitled Overlake Village indicates the preferred land uses by area within this district: Mixed Use (residential and commercial) Emphasizing Residential; Mixed Use Maintaining Commercial; and Mixed Use Maintaining Regional Retail.


Overlake Design District (ODD) – Interim: The Overlake Design District currently applies to the Group Health property. Representatives for Group Health are requesting a Comprehensive Plan and Redmond Community Development Guide (RCDG) amendment for this site. This amendment is proposed to describe regulations and incentives for master planned redevelopment of this site. The updated Design District is intended to foster opportunities to live, shop, work and recreate in a vibrant, mixed-use setting. Once this proposed amendment is submitted, it will be reviewed and acted on by the City of Redmond Planning Commission and City Council. In the interim, the regulations specified in RCDG 20C.45.30, Permitted Land Uses and 20C.45.40, Site Requirements for the Overlake Business and Advanced Technology apply.

Overlake Business and Advanced Technology (OBAT): This district is intended to provide a high wage employment area that accommodates advanced technology, research and development, corporate offices, high technology manufacturing and similar uses. It is intended to maintain a campus-like environment with significant areas of trees and open spaces. This


district also provides opportunities for multi-family residential development and limited convenience commercial and service uses to help reduce motor vehicle trips in the area by serving employees from nearby businesses.

Overlake Residential Area: This sub-area is intended to provide for a range of single-family and multi-family residential neighborhoods located close to parks, trails, schools and employment opportunities. This area is zoned for residential densities ranging from 4 to 6 dwellings per acre for single-family zones to 12 to 30 dwellings per acre for multi-family zones. See RCDG 20C.30 for specific zoning, permitted uses, site requirements and other provisions.

Overlake Zones Map



Overlake Village Map



20C.45.30 Permitted Land Uses

20C.45.30.10 Permitted Land Uses Chart

The chart identified as RCDG 20C.45.30.40 lists the land uses permitted within the districts shown on the Overlake Neighborhood Districts Map.

20C.45.30.20 Allowed Uses

(1) The symbols used in the chart represent the following:

P Permitted Use.

S Allowed special use, requiring a Special Development Permit

C Allowed conditional use requiring a Conditional Use Permit

(2) Procedural requirements related to the special and conditional use permit processes are described in RCDG 20F Administration and Procedures and RCDG 20D.270 Special Uses.

(3) Uses similar to those listed may be established as permitted or conditionally allowed through the interpretation procedure in the RCDG 20F, Administration and Procedures. In determining whether a use should be permitted, the Administrator shall refer to the purpose statements found in RCDG 20C.45.20, Overlake Districts, and the latest version of the North American Industrial Classification System.

20C.45.30.30 Overlake Definition of Uses

For purposes of administering the Overlake Permitted Land Uses Chart, the following definitions should be used.

(1) General Retail Uses. General retail uses are establishments engaged in selling merchandise to the general public for personal or household consumption; processing of products does not occur or is only a minor part of use (for example; restaurants, butcher shops, breweries with taverns, art studios, crafts, etc.). This category also includes food stores; apparel; furniture and home furnishings; home improvement goods including carpeting, lighting, cabinets, plumbing fixtures; large and small durable goods for family and office use such as appliances, office furniture and supplies; eating and drinking places; and general merchandise. This category does not include rental storage and mini-warehouses or uses with outdoor storage and display. Customer and tenant parking structures and surface lots are considered accessory to the primary use.

(2) General Service Uses. General services are professional, commercial and public activities conducted in offices and storefronts, without outdoor storage needs, including but not limited to lodging; personal services; financial services; entertainment and recreation services; theaters; health services; social services; legal services; cultural services; minor repair services; and rental services. Customer and tenant parking structures and surface lots

are considered accessory to the primary use. Services excluded from this definition are research and development facilities, advanced technology uses, construction offices, industrial laundries and dry cleaning, junk yards, industrial testing laboratories, warehousing/storage and similar uses which are considered business park or industrial uses.

- (3) Public Facilities and Local Utilities. Public facilities include governmental administrative offices, libraries, parks, police and fire stations, educational institutions, cultural facilities, community or recreational centers, and parking structures. See RCDG 20A.20.120 for definition of Local Utilities.

20C.45.30.40 Permitted Land Uses – Overlake Districts

Permitted Land Uses – Overlake Districts		
	Overlake Village (OV)	Overlake Business and Advanced Technology (OBAT)
Residential		
Multi-family and Townhouses	P	P
Senior Housing	P	
Retail		
General Retail (As defined in RCDG 20C.45.30.30(1), with the exception of those uses listed below)	P	
Vehicle Fuel Sales ¹		C
Carts and Street Vendors	S	
Regional Retail (with gross floor area of 75,000 square feet or more in a single use)	P ²	
New and Used Vehicle Sales established prior to <i>(effective date of proposed 2007 Overlake RCDG update)</i>	P	
Wholesale Trade and Assembly		P
Services		
General Services (As defined in RCDG 20C.45.30.30(2), with the exception of those uses listed below)	P	

¹ Subject to RCDG 20D.140 Critical Areas Regulations.

² Permitted only within the following two portions of Overlake Village: Mixed Use Maintaining Regional Retail and Mixed Use Maintaining Commercial

Permitted Land Uses – Overlake Districts		
	Overlake Village (OV)	Overlake Business and Advanced Technology (OBAT)
Athletic Clubs and Fitness Centers	P	P
Business Services: Mailing Centers, Copy, Fax	P	P
Business Park Uses: Advanced Technology: Computer Hardware and Software; Electrical and Electronic Equipment and Components; Measuring, Analyzing and Controlling Instruments; Research and Development Facilities; Corporate Headquarters and Regional Offices; Pharmaceuticals, Biotechnology Products and Medical Equipment and Software provided large quantities of toxic materials are not used; Computer and Office Equipment; Technology Service and Support; Telework Centers; Consultants who directly support other businesses; Corporate Conference and Educational Facilities; Warehousing (indoor only) and Distribution; Construction/Contractors (offices and indoor storage only); Food and Kindred Products Manufacturing and Assembly provided products produced primarily for off-site consumption		P

Permitted Land Uses – Overlake Districts		
	Overlake Village (OV)	Overlake Business and Advanced Technology (OBAT)
Convenience service and retail uses <ul style="list-style-type: none"> ▪ Uses limited to employee use and not open to the public ▪ Uses open to the public but that primarily serve nearby employees and residents 		<p>P³</p> <p>P⁴</p>
Day-Care Centers	S	S
Educational Facilities	P	P
Other Uses		
Public Facilities and Local Utilities <ul style="list-style-type: none"> • Facilities up to 40 feet in height • Facilities 40 feet in height or greater 	<p>P</p> <p>C</p>	<p>P</p> <p>C</p>
Regional Utilities <ul style="list-style-type: none"> • Facilities up to 40 feet in height • Facilities 40 feet in height or greater 	<p>P⁵</p> <p>C⁵</p>	<p>P</p> <p>C</p>
Transit Facilities: Tracks, Transit Centers, Park and Ride Facilities	P	P
Drive-Thru Facilities established prior to (<i>effective date of proposed 2007 Overlake RCDG update</i>)	P	
Large Satellite	S	S

³ Defined as limited convenience service and retail uses such as cafeterias or small convenience stores that are accessory to the primary business park use, limited to employee use, and not open to the general public. Access shall be internal to the primary use and no external signage is permitted.

⁴ Defined as convenience service and retail uses that primarily provide services or sell goods for use on a daily or weekly basis by nearby employees and residents but are open to the general public. Examples include small eating and drinking establishments, limited service banks, and small convenience grocery stores. See RCDG 20C.45.30.50, Convenience Retail and Service Uses in the Overlake Business and Technology District.

⁵ In addition, regional utilities are a permitted use only in Overlake Village – Mixed Use Maintaining Regional Retail and are a conditional use elsewhere in Overlake Village.

Permitted Land Uses – Overlake Districts		
	Overlake Village (OV)	Overlake Business and Advanced Technology (OBAT)
Dishes/Amateur Radio Antenna(s)		
Broadcast and Relay Towers	C	C
Wireless Communication Facilities	S	S
Religious Facilities: Churches, Temples, Synagogues		
Up to 750 seats	S ²	S
750 seats and greater	C ²	C

20C.45.30.50 Convenience Retail and Service Uses in the Overlake Business and Advanced Technology District

1) Purpose. The purpose of this section is to provide for development of convenience retail and services within the Overlake Business and Advanced Technology (OBAT) District.

Convenience retail and services are intended to:

- a) Primarily serve nearby Overlake employees and residents with small- to medium-scale, convenient retail and service uses within walking or bicycling access.
- b) Not attract uses that primarily serve the general public and are more appropriately located in the Overlake Village.
- c) Maintain the high visual and environmental quality within Overlake.

(2) Allowed Retail and Service Uses in the OBAT District.

- a) Allowed uses in the OBAT District include convenience retail or service establishments that sell goods or merchandise or provide services for use on a daily or weekly basis by nearby employees and residents in Overlake. Uses are not intended to draw customers from outside the neighborhood or to include the type of retail or service uses intended for Overlake Village. Examples of allowed uses include: eating and drinking establishments (limited to a maximum seating capacity of 50 people), limited service banks, hair cutters, small convenience grocery stores, and dry cleaners.
- b) Allowed recreation and service uses in the OBAT District that are consistent with the intent of this section, such as, athletic clubs and fitness centers and day care centers, are allowed per the requirements in RCDG 20C.45.30.40, Overlake Permitted Land Uses Chart.
- c) Convenience retail and service uses not permitted in the OBAT District include supermarkets, retail vehicle fuel sales, hotels and motels, or convenience retail or service businesses that primarily serve the general public.

(3) Convenience Retail and Service Business Size: On a single site, convenience retail and service businesses shall not exceed 20,000 square feet of gross floor area. Maximum gross floor area may be increased up to 30,000 square feet when an athletic club or fitness center is included.

(4) Convenience Retail and Service Business Locations. The following locational criteria apply to convenience retail and service businesses in the Overlake Business and Advanced Technology District.

- a) Shall be located as secondary uses in multi-tenant buildings or as part of mixed use/residential developments.
- b) Shall be located to encourage access by walking or bicycling. Bicycle parking facilities shall be provided.

- c) Shall be located and designed to maintain high visual and environmental quality within Overlake.

(5) Parking.

- a) Parking shall be provided according to Table 20D.130.10-020(2), Required Off-Street Parking, as indicated for the OBAT District.
 - b) The Technical Committee may allow flexibility in parking requirements for convenience retail and service businesses based on site-specific factors, such as the availability of nearby shared parking, opportunities for pedestrian access, characteristics of specific uses, and expected peak hour parking demands.
 - c) Design of convenience retail and service businesses to provide shared parking and service areas is encouraged.
- (6) Other Requirements. Approvals shall be conditioned on projects attracting primarily local employees and trips during business hours.

20C.45.40 Site Requirements.**20C.45.40-010 Explanation of Chart.**

This division establishes the basic site requirements for the Overlake Districts. The chart contains the minimum and maximum dimensional requirements for each district. The footnotes identify particular requirements applicable to a specific use or district.

20C.45.40-020 Site Requirements Chart - Overlake Districts

Site Requirements Chart – Overlake Districts		
	Overlake Village (OV)	Overlake Business and Advanced Technology (OBAT)
Maximum Lot Coverage of Structures and Impervious Surface¹	85%	80%
Minimum Landscaped Area	15%	20%
Maximum Building Height (Stories), without use of Bonuses or Transfer of Development Rights²		
Non-Residential Uses	4	4
Residential Uses in Single-Use or Mixed-Use Buildings	5	5

¹ See RCDG 20C.45.40-030, Maximum Lot Coverage – Structures and Total Impervious Surface.

² See RCDG 20C.45.40-050, Building Height; RCDG 20D.200 Transfer of Development Rights Program; and RCDG 20C.45.40-110, Overlake Village Incentive Program.

Site Requirements Chart – Overlake Districts		
	Overlake Village (OV)	Overlake Business and Advanced Technology (OBAT)
Maximum Floor Area Ratios without use of Bonuses^{3, 4}		
Non-Residential Uses	.36	.40
Non-Residential Uses as part of Mixed-Use Developments that include Residential Uses ^{5, 6} or with use of TDRs ⁷	.41	.47
Residential Uses ⁵ in Single-Use or Mixed-Use Buildings	2.5	1
Building Setbacks		
Front and all Street Setbacks (in feet)	<p>0</p> <p>At front and all street setbacks, buildings shall be developed to the back of the setback zone⁸</p> <p>See 20C.45.40-130, Overlake Street Cross Sections</p>	<p>Minimum of 10'⁹</p> <p>Along 152nd Avenue NE at front and all street setbacks, buildings shall be developed to the back of the setback zone^{8, 10}</p> <p>See 20C.45.40-130, Overlake Street Cross Sections</p>

³ The FAR for non-residential and residential uses within a given development are individually calculated and may be added together for a cumulative total, provided that the respective maximum FAR for each use is not exceeded, unless otherwise provided in the RCDG.

⁴ See RCDG 20C.45.40-110, Overlake Village Incentive Program.

⁵ Residential uses include living areas, common areas used to access living areas, offices for the renting, leasing, or selling the housing units in the development, and recreational areas used exclusively by residents and their guests.

⁶ Proposed developments in Overlake Village that include residential uses as a minimum of 50 percent of the total amount of proposed gross floor area are allowed the greater of: 1) a nonresidential FAR of .41, or 2) to retain an allowance for the total amount of non-residential floor area existing as of the effective date of the Overlake RCDG update.

⁷ See RCDG 20D.200, Transfer of Development Rights Program.

⁸ The setback zone is located outside of the right-of-way. In the Overlake Village and Overlake Design District, it provides space for courtyards or planters and in the Overlake Business and Advanced Technology District, it provides space for plantings. See 20C.45.30.50-120, Overlake Street Cross Sections

⁹ Measured from property line.

¹⁰ Along 156th Avenue NE (NE 40th to Bel-Red Road), NE 40th Street (148th Avenue NE to 156th Avenue NE), and NE 51st Street (148th Avenue NE to SR 520, south side to 156th Ave NE), the maximum building setback is 45 feet.

Site Requirements Chart – Overlake Districts		
	Overlake Village (OV)	Overlake Business and Advanced Technology (OBAT)
Minimum Side Setback (in feet)	0	20' ¹¹
Minimum Rear Setback (in feet)	0	20' ¹¹
Pedestrian Standards	See 20C.45.40-070	See 20C.45.40-070
Ground Floor Uses	See 20C.45.40-080	Applies to Overlake Design District
Minimum Residential Floor Area	See 20C.45.40-090	Applies to Overlake Design District
Residential Open Space	See 20C.45.40-100	See 20C.45.40-100
Parking	See 20D.130	See 20D.130

20C.45.40-030 Maximum Lot Coverage – Structures and Total Impervious Surface.

(1) Requirement. Maximum lot coverage indicates the maximum percentage of the land that can be developed and covered with structures (including outdoor storage) and other impervious surfaces, such as parking lots, sidewalks, and plazas.

(2) Modifications. As part of an approved binding site plan, subdivision or planned commercial development the Technical Committee may allow increased maximum impervious surface limits on individual lots within a multi-lot development; provided, that the total amount of impervious surface for the entire development does not exceed that set forth by the Site Requirements Chart. If a modification is approved, the development shall be conditioned and recorded with the property's title to ensure compliance with the total impervious surface limits set by the Chart.

20C.45.40-040 Landscaping.

(1) General Requirements. All setbacks, buffers, open spaces, plazas, parks, service areas and parking lots shall be landscaped or be maintained in existing vegetation if the existing vegetation is desirable. The requirements specified in RCDG 20D.40.35 – Landscape Design Standards and RCDG 20D.80.10 Landscaping and Natural Screening, shall apply as applicable. In addition, supplemental landscaping requirements for the Overlake Districts are defined below.

(2) Plantings along streets. At a minimum, planting strips along streets shall include street trees. Where space allows, planting areas should include other vegetation suitable for an urban setting.

¹¹ Subject to landscaping and buffering requirements of RCDG 20D.80, Landscaping and Tree Protection

- (3) Overlake Village District and Overlake Design District– Open Space and Plazas.
 - a. Plazas and common usable open spaces shall be landscaped to create visual interest, soften building edges, and reduce the impact of adverse elements such as noise or wind.
 - b. The quantity of trees, shrubs and other plant materials shall be scaled to meet the size and function of the plaza or open space, and is subject to approval by the Technical Committee.
- (4) Overlake Business and Advanced Technology District Requirements – Buffers.
 - a. Landscape buffers at least 20 feet in width shall be provided in the following locations:
 - i. Along property lines which border a single-family or multi-family residential zone within Redmond or a neighboring jurisdiction.
 - ii. Along street frontages where any portion of the street bordering the development site borders a single-family residential zone within Redmond or a neighboring jurisdiction. Single-family zone is defined as a zone with an allowed density of eight or fewer dwellings per acre.
 - b. The buffers shall be planted with the following materials:
 - i. Minimum of 1 tree per 200 square feet of buffer area. No more than 40 percent of trees may be deciduous.
 - ii. Evergreen shrubs, a minimum of 5 gallon in size. The area covered by the shrubs shall be at least one-third of the buffer frontage.
 - iii. Groundcover plantings to cover the ground within three years
 - iv. Plant materials shall be native to the area. The Code Administrator may allow substitutions of non-native plant materials that are drought tolerant provided the buffer remains primarily in native materials.
 - c. No more than 20 percent of the buffer area may be used for streets, driveways, utility crossings, trails or ground level features such as patios.
 - d. All required buffers shall be maintained in compliance with this division for the life of the use. Dead and dying plants shall be replaced during the next growing season.
 - e. Buffers may be counted towards required open space, required pervious surfaces, setbacks and other requirements that they meet.


20C.45.40-050 Building Height.

- (1) Requirements. Maximum height requirements set the limit measured from the finished grade above which structures shall not extend without use of Bonuses or Transfer of Development Rights. In the Overlake Village, Overlake Design District and Overlake Business and

Advanced Technology Districts, heating, cooling, and ventilation equipment, elevator penthouses, rooftop exits and flagpoles may exceed the height limit by not more than 15 feet. In the Overlake Business and Advanced Technology District, antennas and chimneys may exceed the height limit by not more than 15 feet. Refer to Chapter 20A.20 RCDG, Definitions, Height of Building or Structure, for measuring building height.

- (2) Height Tradeoffs. The maximum building height on a site may be exceeded, as a trade-off, when building height reductions are required at building edges, along a street or park, to achieve better design and stepped building height through the Design Review Process. The amount of floor area that is allowed to exceed the prescribed maximum building height (without use of Bonuses or Transfer of Development Rights) shall not exceed the floor area that was removed or omitted to create the stepped building façade and shall not exceed 1 additional floor above the prescribed maximum building height.
- (3) Height Bonuses.
 - a) All buildings may increase the maximum building height by one floor (up to 15 feet) through the use of Transfer of Development Rights per RCDG 20D.200.
 - b) See also RCDG 20C.45.30.50-100, Overlake Village Incentive Program for height and floor area bonuses in the Overlake Village District.
- (4) Height Limit Overlay – Overlake Business and Advanced Technology District.
 - a) Requirements. This section establishes special height limits for structures located in the Overlake Business and Advanced Technology District that are located within 150 feet of a single family residential zone within Redmond or a neighboring jurisdiction as shown on the Height Limit Overlay Map.
 - i) The maximum height for structures located within the Height Limit Overlay is 35 feet.
 - ii) The maximum height for structures located within the Height Limit Overlay may be increased up to 45 feet if one or more of the following features are provided:
 - (1) At least one quarter of the on-site parking is provided in underground parking structures.
 - (2) No mechanical equipment is located on the roof.
 - (3) The existing grade under the proposed structure pad is at least 10 feet below the grade at the property lines of all properties that border or are across the street from the development site.
 - (4) Transfer of Development Rights are used to increase structure height.

Height Limit Overlay Map



iii) The Design Review Board may allow the maximum height of structures as shown in RCDG 20C.45.30.50-020, Site Requirements Chart if the following conditions are met:

- (1) The existing grade under the proposed structure pad is at least 20 feet below the grade at the property lines of all properties that border or are across the street from the development site, and
- (2) The proposal with the height allowance will provide an equivalent or better transition to lower height residential zones as the limit imposed through the height overlay.

20C.45.40-060 Building Setbacks.

- (1) Lot Orientation. For the purpose of applying setback regulations, the following shall be applied: the front shall be toward the public street, private street or access corridor from which the lot is addressed or which provides the primary access; the rear is opposite to the front or as nearly so as the lot shape permits; and the sides are 90 degrees to the front or as nearly so as the lot shape permits.
- (2) Measurement. All setbacks shall be measured at right angles, or as near to right angles as possible, to the nearest property line in a plane horizontal to the ground. In the case of access corridors and private streets, setbacks are measured from the inside edge of the access corridor or street to the foundation line of the structure.
- (3) Setback Exceptions. Upon the presentation of a binding site plan, an approved site plan, or planned commercial development application, setbacks may be modified as follows: side setback distances may be modified to permit a zero side setback to accommodate joint wall construction and clustering of buildings; front setbacks may be modified from private streets and access corridors, provided front setbacks are maintained from all public streets.
- (4) Improvements. Improvements less than 30 inches above grade including decks, patios, walks and driveways are permitted in setbacks. Fences, landscaping, flagpoles, street furniture, transit shelters and slope stability structures are permitted in setback areas; provided, that all other applicable requirements are met. No other structures including accessory structures are permitted in setback areas.

20C.45.40-070 Pedestrian Standards.

- (1) Requirements. All developments in Overlake Districts shall provide an on-site pedestrian circulation system that meets the standards of this section. In addition, the standards in RCDG 20C.45.30.50-120, Overlake Street Cross-Sections and the Overlake Master Plan shall apply as applicable.
- (2) Connections.
 - a) Connection to the Street. The system shall connect the main entrance for the development to adjacent streets.
 - b) Internal connections. The system shall connect all buildings on the site, and provide connections to other areas of the site, such as parking areas, bicycle parking, recreational areas, common outdoor areas, and any pedestrian amenities.
 - c) Connection to Neighboring Uses. The system shall connect to all adjacent properties. The connections shall run to the property line and connect to paths or sidewalks on neighboring properties or to the likely location of connections on those properties. Where no connections exist on a neighboring property and extending a connection would create a safety hazard or it is not possible to determine the likely location of future connections on that property, the Administrator may enter into a legally binding agreement with the owner of the property being developed to construct the connection to the neighboring use when the property on which the use is located develops or redevelops. This agreement shall run with the land and be recorded in King County's real property records.
- (3) Design.
 - a) The circulation system shall be paved, and be at least six feet wide.
 - b) Where the system crosses driveways, parking areas, and loading areas, the system shall be clearly identifiable, through the use of a different paving material or other equally effective method. Striping does not meet this requirement.
 - c) Where the system is parallel and adjacent to an auto travel lane, the system shall be a raised path or be separated from the auto travel lane by a raised curb, bollards, landscaping or another physical barrier. If a raised path is used, the ends of the raised portions shall be equipped with curb ramps.
 - d) Lighting. The on-site pedestrian circulation system shall be lighted to intensity where the system can be used at night by the employees, residents, and customers. Lighting should be at a height appropriate to a pedestrian pathway system.

20C.45.40-080 Ground Floor Uses.

- (1) Requirements. This division establishes requirements regarding ground floor uses located on streets within the Overlake Village and Overlake Design District.
- (2) Standards for 152nd Avenue NE.
 - a) Proposed new buildings located along 152nd Avenue NE shall include pedestrian oriented uses on the ground floor. Pedestrian oriented uses include retail, restaurants, cultural or entertainment uses, hotel lobbies, travel agencies, personal service uses, parcel and mail services, copy centers, the customer service portion of financial institutions, or other businesses that are intended to be pedestrian attracting or pedestrian generating in nature as determined by the Code Administrator.
 - b) Compliance Methods.
 - i) A minimum of 50 percent of the linear sidewalk level façade shall be occupied by pedestrian oriented uses as defined above in 2a), and should be continuous.
 - ii) Up to 50 percent of the linear sidewalk level frontage may be designed to accommodate future conversion to the uses listed in 2a). Any uses other than residential may be permitted in the interim until conversion of the space. The areas designed and constructed to accommodate future conversion shall meet the following standards in addition to other applicable design standards:
 - (1) The distance from the finished floor to the finished ceiling above shall be at least 14 feet.
 - (2) The area must have a minimum average depth of 25 feet measured from the sidewalk level façade.
 - (3) The sidewalk level façade must include an entrance or entrances to accommodate either a single or multiple tenants or be structurally designed so entrances can be added when converted to the uses listed in 2a.
 - iii) Compliance with RCDG 20D.40.200-060, Ground Floor Non-Residential Facades, is required for proposed buildings located along 152nd Avenue NE.
- (3) Other Streets in Overlake Village: Any new building located along the streets listed below shall include commercial or other non-residential uses on the ground floor. Offices and recreational areas associated with residential uses are permitted on the ground floor.
 - a) 148th Avenue NE
 - b) Bel-Red Road
 - c) NE 24th Street
 - d) 156th Avenue NE
- (4) In locations where ground floor residential units are permitted, they shall be set back a minimum of 10 feet from the public right of way or all living areas with windows shall be elevated above the street grade at least 3 feet to provide for increased privacy. The Code Administrator will consider other design solutions that retain resident privacy while enhancing the pedestrian environment on the sidewalk.

20C.45.40-090 Minimum Residential Floor Area.

(1) Requirements. This division establishes requirements regarding minimum livable residential floor area as part of development in the Overlake Village and Overlake Design District.

(2) Standard.

- a) Proposed new buildings within the Overlake Village Mixed Use, Emphasizing Residential area shall be required to include residential uses as a minimum of 50 percent of the gross floor area of proposed uses.
- b) Proposed new buildings within other portions of Overlake Village are required to include residential uses as a minimum of 25 percent of the gross floor area of proposed uses.

20C.45.40-100 Residential Usable Open Space

1) Requirements. A minimum of 75 square feet of onsite open space shall be provided per each multi-family dwelling unit in Overlake. Alternatives for configuration of the total amount of open space required for the development are provided below.

- a) Common open space. May be used to meet 100 percent of the required open space in the form of landscaped courtyards or decks, gardens with pathways, children's play areas, or other multi-purpose recreational and/or green spaces, provided the following conditions are met.
 - i) The space is accessible to all residents.
 - ii) Required setback areas shall not count towards the open space requirement unless it is part of a space that meets the dimensional requirements.
 - iii) The dimensions of the space shall be large enough to provide functional leisure or recreational activity as determined by the Technical Committee. For example, long narrow spaces (less than 20 feet wide) rarely can function as usable common space.
 - iv) The open space (particularly children's play areas) shall be visible from dwelling units and positioned near pedestrian activity.
 - v) The open space shall include paths, landscaping, seating, lighting and other pedestrian amenities to make the area functional and enjoyable.
 - vi) Individual entries shall be provided onto common open space from adjacent ground floor residential units. Small, semi-private open spaces for adjacent ground floor units that maintain visual access to the common area are strongly encouraged to enliven the space.
 - vii) The open space shall be separated from ground floor windows, streets, service areas and parking lots with landscaping, low-level fencing, and/or other treatments as approved by the City that enhance safety and privacy (both for common open space and dwelling units).
 - viii) The space should be oriented to receive sunlight, facing east, west, or (preferably) south, when possible.
 - ix) Native and/or drought resistant plants should be used to reduce irrigation requirements and conserve water.

- x) Permeable surfaces, rain gardens, and other stormwater management features are encouraged.
 - xi) Water features are encouraged.
- 2) Individual balconies or patios. May be used to meet up to 50 percent of the required open space. To qualify as open space, balconies or patios shall be at least 50 square feet, with no dimension less than 5 feet, to provide a space usable for human activity.
- 3) Rooftop decks. May be used to meet up to 50 percent of the required open space, provided the following conditions are met.
- i) The space must be accessible (ADA) for all residents.
 - ii) The open space shall include landscaping, seating, and other features as approved by the City to encourage use and make the area functional and enjoyable.
 - iii) The space must feature hard surfacing appropriate to encourage resident use.
 - iv) The space must incorporate features that provide for the safety of residents, such as enclosures and appropriate lighting levels.
- 4) In Lieu Fee for Open Space. An in-lieu fee for each 75 square feet of open space not provided shall be paid to the City for park land purchase and improvements within Overlake. The fee for each 75 square feet of required open space not provided on site shall be equivalent to 50% of the Park Impact Fee for a multi-family residence.
- 5) Combining Usable Open Space and Pedestrian Access. Parking areas, driveways and pedestrian access other than pedestrian access required by Washington State Rules and Regulations for Barrier-Free Design shall not be counted as usable open space, except; if the total width of the common usable open space is 18 feet or wider, any pedestrian path or walkway traversing through the open space may be considered usable open space.

20C.45.40-110 Overlake Village Incentive Program.

- 1) Intent. The intent of this section is to enhance the character and overall livability of Overlake Village by encouraging provision of bonus features that implement neighborhood goals for public amenities, housing opportunities, and environmental sustainability, and reducing the cost of these bonus features by allowing increased building height and floor area above the base site requirements.
- 2) Bonus Features and Incentives.
- a) Within the Overlake Village District, the Technical Committee may allow increases to the base site requirements and standards shown in 20C.45.30.50-020, Site Requirements Chart, up to the limits identified below for developments that comply with at least one of the requirements of this section.
 - b) The Technical Committee may allow aggregation of the available incentives in Group A up to a total maximum building height of 8 stories for buildings that achieve at least three of the bonus features. The available incentives under consideration in Group B may not be aggregated for providing two bonus features.

- c) The standards in RCDG 20D.40.200-040 Building Scale apply to developments eligible for incentives under this section.
- d) The total commercial floor area permitted within Overlake shall not exceed the Bellevue Redmond Overlake Transportation Study Agreement (BROTS) or its successor agreement.

Group A: Bonus Features Allowing Increased Height or Floor Area Overlake Village		
	Features	Maximum Incentive Per Feature
1.	Minimum of LEED Silver Certification or comparable built green certification as determined by the Technical Committee	One additional story for each building designed and constructed to meet this certification
2.	Provide and maintain at least 75% of the total gross floor area for the development in residential uses in the Overlake Village - Mixed Use, Emphasizing Residential Area, and at least 50% in the rest of Overlake Village	One additional story for each building designed and constructed to meet this standard
3.	<p>Provide and maintain at least 10% of the retail floor area in the development 20% below market rates to retain existing retail businesses in the area.</p> <p>If the property owner is not able to lease the space to an existing retail business after offering it for at least 6 months, the property owner may request approval from the Code Administrator to offer below market rate space for one of the following substitute methods that meet identified neighborhood goals for the area:</p> <ul style="list-style-type: none"> a) Non-chain retail business specializing in ethnic goods. or b) Desired community facility such as a library or teen center. 	Addition of commercial floor area on a square foot to square foot basis, up to a maximum FAR of .55, and, up to one additional story of building height
4.	At least 60 percent of parking is located below grade	One additional story for all buildings in the development that meet this standard
5.	<p>Provide public outdoor plaza or other open space that:</p> <ul style="list-style-type: none"> a) Is a minimum of ½ acre or exceeds the minimum requirements for residential open space by 25%, whichever is greater, 	Addition of residential floor area on a square foot to square foot basis for the amount of open space provided, and up to one additional story for all buildings in the development

Group A: Bonus Features Allowing Increased Height or Floor Area Overlake Village		
	Features	Maximum Incentive Per Feature
	<ul style="list-style-type: none"> b) Is located directly adjacent to the pedestrian pathway system as defined in the Overlake Master Plan, c) Includes wayfinding elements that provide visual continuity to other open spaces in Overlake Village, d) Is improved to at a minimum meet the design requirements specified in RCDG 20D.40.200-070, e) Is accessible to the public at all times, and f) Is dedicated after improvement to the City of Redmond. 	
6.	<p>Complete a master plan approved by the Technical Committee and Design Review Board that at a minimum contains the elements listed below. This is a requirement for sites 5 acres in size and larger in the Overlake Village and Overlake Design District, or properties under one ownership totaling 5 acres in size or larger (<i>as of the effective date of proposed 2007 Overlake RCDG update</i>) and is encouraged for other sites.</p> <ul style="list-style-type: none"> a) A design concept that is in conformance with the Overlake policies and standards for an urban village form, including providing one or more mid-block streets on the site, b) Site plan indicating all proposed land uses, c) Height and bulk study that demonstrates how building mass and scale relate to open spaces, pedestrian pathways, streets and other buildings, d) Transportation and circulation plan indicating the layout and preliminary design of all streets, pedestrian pathways, parking, and location of transit facilities (as available), in plan view and cross section for streets, e) Location of proposed space for parks, open space and any cultural facilities, 	One additional story for all buildings in the development

Group A: Bonus Features Allowing Increased Height or Floor Area Overlake Village		
	Features	Maximum Incentive Per Feature
	f) Location of any environmentally sensitive areas, g) Landscape concepts h) Approach to sustainable design, and i) Preliminary plan for other major infrastructure improvements.	

UNDER CONSIDERATION AS PART OF OVERLAKE PLAN UPDATE		
Group B: Bonus Features For Increased Height and Floor Area Overlake Village		
	Features	Maximum Incentive Per Feature
1.	<p>Dedicate a minimum of 2 to 2.5 acres of land to the City of Redmond for an urban neighborhood public park that is located directly adjacent to the pedestrian pathway system as defined in the Overlake Master Plan.</p> <p>The intent of this space is to act as a central public gathering place through the provision of plazas and green spaces.</p> <p>The City and developer shall establish an agreement regarding the joint design and funding of improvements required for this park.</p>	<p>Building height of up to 10 stories,</p> <p>Commercial floor area ratio of up to .55, and</p> <p>Residential floor area of up to 4.0</p>
2.	<p>Dedicate a minimum of 2 to 4 acres of land to the City of Redmond for use as a regional stormwater management facility.</p>	<p>Building height of up to 10 stories,</p> <p>Commercial floor area ratio of up to .55, and</p> <p>Residential floor area of up to 4.0</p>

20C.45.40-120 Administrative Design Flexibility.

- (1) The purpose of this section is to promote creativity in site layout and design, and to allow flexibility in the application of standards for retail, commercial, office, retail, mixed use, residential development within Overlake Village and Overlake Design District, and to achieve the creation of sites and uses that may benefit the public by the application of special design policies and standards not otherwise possible under conventional development regulations and standards. Departures from standards included in this section may be permitted as part of the Site Plan Entitlement process
- (2) Deviations from these standards may be allowed if an applicant demonstrates that the deviations from the standards would result in a development that:
 - a) Better meets the intent of the goals and policies for the district in which the site is located;
 - b) Is superior in design in terms of architecture, building materials, site design, landscaping and open space; and
 - c) Provides benefit to the Overlake Neighborhood in terms of desired use, activity, and design.
- (2) ADF – Flexibility of Design Standards in Overlake. Requirements of RCDG Title 20C, Land Use Regulations that may be modified by application of this subsection are defined specifically as follows:
 - (a) Parking Lot Location. Requirements for the location of on-site parking lots may be modified within the development (except for parking within residential yard areas) to provide for greater joint-use and quasi-public parking opportunities and uses which are highly desirable in the subject district.
 - (b) Street standards for townhouse subdivision developments.
 - (c) Other Site Requirements and Standards. All other site requirements and standards for the Overlake Village and Overlake Design District except number of stories and FAR may be modified within the development to provide superiority in site design: i.e., greater amounts of privacy, maintenance of views, preservation of vegetation, provision of usable open space, adequate light, air, and security.

20C.45.40-130, Overlake Street Cross Sections (last page of Appendix B)

20C.45.30.50-300 References to Other RCDG Divisions that Contain Requirements Applicable to Overlake

20D.30, Affordable Housing

20D.40, Design Standards

20D.90, Lighting Requirements

20D.95, Limitations on External Effects of Uses

20D.120, Outdoor Storage and Service Areas

20D.230, Transitions Between Zones

20D.40 Design Standards

20D.40.10-020 Scope and Authority.

- (1) Scope. RCDG 20D.40 contains three sets of design standards: City-wide design standards, Downtown design standards and Overlake design standards.
 - (a) City-wide design standards (RCDG 20D.40.15) apply to developments requiring design review that are located throughout the City and include the Downtown and Overlake districts.
 - (b) The Downtown is divided into several districts. The applicable design standards for Downtown (RCDG 20D.40.100) and the City-wide design standards (RCDG 20D.40.15) apply to developments requiring design review that are located within the Downtown neighborhood.
 - (c) Design standards specific to the Overlake Village and Overlake Design Districts are provided in 20D.40.200, Overlake Districts - Supplemental Design Standards

20D.40.200 - Overlake Village and Overlake Design District - Supplemental Design Standards

20D.40.200-010 Applicability.

All projects within the Overlake Village and Overlake Design District shall adhere to Redmond's citywide standards in RCDG 20D.40, Design Standards, as well as the as well as the supplemental design standards identified below.

20D.40.200-020 Surface Parking Lots.

- 1) Intent: To limit the visual impact of surface parking lots.
- 2) Design Criteria.
 - a) Location.
 - i) No new surface parking lots are permitted along 152nd Avenue NE. Any surface parking lots shall be separated from 152nd Avenue NE by a building or at least 60 feet of open space.
 - ii) On other streets in Overlake Village, new surface parking lots located between the primary building and the public right-of-way are discouraged and may not occupy more than 50 percent of the lot frontage.
 - b) Access. New access to parking lots should be from an alley, court, or street that is not proposed as an alternative light rail transit alignment by Sound Transit. Creation of alley access to parking is encouraged to minimize curb cuts.
 - c) Landscaping and Screening. All parking lot landscaping shall meet the requirements specified in RCDG 20D.40.35-030, Parking Lot Landscaping and RCDG 20D.80.10 Landscaping and Natural Screening (20D.40.35-030). Interior parking lot landscaping requirement may incorporate the use of rain gardens to retain and infiltrate runoff from the parking lot.

20D.40.200-030 Parking Garage Design.

- 1) Intent: To ensure quality parking garage design.
- 2) Design Criteria.
 - a) Ground level street frontage shall not be occupied by parking in the following locations:
 - i) 152nd Avenue NE.
 - ii) Streets proposed as alternative light rail transit alignments by Sound Transit.
 - iii) Streets that are included as part of the pedestrian pathway system as defined in the Overlake Master Plan.
 - b) In other locations, no more than 120 feet of ground level building frontage may be occupied by parking. Parking structures wider than 120 feet must incorporate other uses along the streetfront to meet this requirement.

Where the garage wall is built to the sidewalk edge, the façade shall use artwork, decorative grilles, special building material treatment/design, and/or other treatments as approved by the Design Review Board that enhance the pedestrian environment and obscure the view of parked cars. In order to meet transparency requirements, garages can incorporate openings with grillwork or other treatments to resemble windows.

- c) Small setbacks with terraced landscaping elements can be particularly effective in softening the appearance of a parking garage.
- d) Upper level parking garages shall use articulation treatments that break up the massing of the garage and add visual interest.

20D.40.200-040 Building Form and Scale.

- 1) Intent: To maintain light and views, avoid a tunnel effect, contribute to a comfortable pedestrian environment, and promote variety in building height on 152nd Avenue NE and other streets on which tall buildings could be located
- 2) Alternative Design Criteria under consideration for potential developments that could qualify for the incentives in RCDG 20C.45.30.50-110, Overlake Village Incentive Program
 - a) Option A
 - i) The maximum building height permitted along the street is 3 stories.
 - ii) Floors 4 through 10 shall be stepped back by either a defined distance (such as 30 to 50 feet) or as a proportion of the building area on the ground floor.
 - iii) Buildings that are 10 stories in height shall maintain a minimum separation (such as 30 to 50 feet) between buildings for floors 4 and higher.
 - b) Option B
 - i) The maximum building height permitted along the street is 6 stories.
 - ii) Portions of buildings that are 10 stories in height shall not be located within 50 feet of the closest street right-of-way edge.
 - iii) Building mass along the street shall be broken up through the location of streets, pedestrian pathways, plazas and similar techniques.
 - c) Both options: When located adjacent to public parks or plazas, buildings taller than 8 stories shall be designed to modulate building height, with lower portions of buildings being adjacent to parks and plazas.

- d) Large building mass shall be sited and designed to reduce the apparent mass and bulk and avoid long, continuous, flat facades through use of techniques such as:
 - i) Breaking up the mass into multiple buildings or designing a building to appear as multiple buildings through multiple defined entryways and storefronts,
 - ii) Articulation of facades into increments through use of architectural techniques such as bay windows, offsets, recesses, and other techniques which break or minimize scale, and
 - iii) Provision of new internal streets and pathways at a minimum as shown in the Overlake Master Plan to establish/enhance the urban grid,

20D.40.200-050 Building Materials.

- 1) Intent. To promote visual interest, distinct design qualities, and an appearance of quality and permanence through use of durable building materials and effective architectural detailing.
- 2) Design Criteria.
 - a) Building materials: Building materials shall provide architectural interest and evoke and demonstrate a look of permanence through use of superior exterior cladding materials such as stone, masonry, copper, brick and similar materials, as accepted by the Design Review Board. Building materials should minimize light reflection and glare. Use of cementitious panel is prohibited with the exception of locations such as accent areas and soffits.
 - b) Concrete block: When used for the façade of any building, concrete blocks shall be split, rock- or ground-faced. To add visual interest, the use of specialized textures and/or colors used effectively with other building materials and details are encouraged.
 - c) Exterior Insulation and Finish System (EIFS) and similar troweled finishes (stucco):
 - i) EIFS shall be trimmed in wood, masonry, or other approved materials and shall be sheltered from extreme weather by roof overhangs or other methods.
 - ii) EIFS may only be used in conjunction with other approved building materials. Generally, the use of EIFS for more than 50 percent of the building facade is discouraged.
 - iii) EIFS is prohibited on ground floor facades. Masonry or other similar durable/permanent materials shall be used.

20D.40.200-060 Ground Floor Retail and Other Commercial Facades

- 1) Intent. To promote ground floor retail and other commercial facades that are engaging and include features that are scaled to and of interest to pedestrians.
- 2) Design Criteria:
 - a) For non-residential ground floor uses, windows, rather than blank walls, shall be provided on the street level to encourage a visual and economic link between the business and passing pedestrians. A minimum of 60% of the length of the store front area facing the streets (between 2 feet and 7 feet above the sidewalk) shall be in non-reflective, transparent glazing. A permanent weather protection element such as a glass and/or steel canopy at least 6 feet in depth along the majority of building frontage.
 - b) In addition, ground floor retail and commercial facades shall include at least three of the elements listed below. Standard corporate logos or architectural elements will not qualify.
 - i) Unique or handcrafted pedestrian-oriented signage.
 - ii) Artwork incorporated on the façade.
 - iii) Street furniture.
 - iv) Distinctive treatment of windows and/or door(s).
 - v) Distinctive exterior light fixtures.
 - vi) Unique or handcrafted planter boxes or other architectural features that are intended to incorporate landscaping.
 - vii) Distinctive façade kickplate treatment including the use of stone, marble, tile or other material that provides special visual interest.
 - viii) Other details as approved by the Design Review Board that add visual interest to the storefronts.

20D.40.200-070 Pedestrian Plazas and Open Spaces

- 1) Intent. To ensure that pedestrian plazas and open spaces are accessible to the public, usable, safe and visually interesting.
- 2) Design Criteria.
 - a) Buildings surrounding the pedestrian plaza or open space shall comply with 20D.40.200-060, Ground Floor Retail and Other Commercial Facades and have windows and entrances that face the open space. Retail uses are encouraged fronting on plazas and open spaces.
 - b) Pedestrian plazas and open spaces should be within 3 feet of the nearest sidewalk equivalent to 5 percent of the site and include all of the following:
 - i) Adequate amount and type of seating as approved by the Technical Committee.
 - ii) Landscaping elements as approved by the Technical Committee.
 - iii) Significant solar exposure.

- iv) Visibility from the nearest sidewalk or pathway.
 - v) Pedestrian scaled lighting.
 - vi) Quality materials, such as textured concrete, bricks, pavers or similar or better materials, for portions of the open space that are not landscaped.
- c) Pedestrian plazas and open spaces shall also incorporate a minimum of three of the following features to add visual interest:
- i) Artwork.
 - ii Water feature such as a fountain or cascade that serves as a focal point.
 - iii Information kiosks.
 - iv Planters.
 - v Permeable paving for pathways and hardscapes.
 - vi Other similar treatments as approved by the Technical Committee.

20D.130 Parking Standards**Table 20D.130.10-020(1) Spaces for Specific Land Use**

Multi-family in Overlake	See requirements for residential uses in Overlake
Restaurants: Sit-down Take-out	<p>Minimum</p> <p>9/1,000 sq. ft. gfa 10/1,000 sq. ft. gfa</p> <p>The City will review existing parking standard for restaurants in Overlake upon completion of Redmond's study of downtown parking requirements.</p>

Table 20D.130.10-020(2) Required Off-Street Parking

	Number of Parking Spaces On-Site	
	Minimum Required	Maximum Allowed
Overlake Districts		
Residential Uses (Overlake Village or Overlake Business and Advanced Technology District)	1.0/du ¹	2.25/du
Overlake Village ^{2, 3}	2.0/1000 sq. ft. gfa	3.0/1000 sq. ft. gfa
Overlake Business and Advanced Technology District ^{2, 3}	2.0/1000 sq. ft. gfa	3.0/1000 sq. ft. gfa*** (delete asterisk)

~~*** The Technical Committee may consider parking at a ratio as low as 1.5 per 1,000 if a covenant is recorded with the property which limits the uses to warehouse uses and/or limits the number of employees permitted in a building or project. Parking at ratios greater than 3.0 per 1,000 (not to exceed 3.5 per 1000) is generally not permitted unless the employer/building owner can document that single-occupancy vehicle trips can be reduced better through the employer/building owner's parking/traffic mitigation program than would be reduced through limiting parking stalls to 3.0 per 1,000.~~

1. Plus one guest space per four units for projects with six units or more.
2. The maximum number of parking stalls allowed may be increased to 5.0 per 1,000 sq. ft. gfa for the retail components of mixed-use developments.
3. Developments may provide parking in excess of the Maximum Allowed parking standard provided the excess parking is also available at all times to the general public, and there is ample signage at the facility to inform users the excess parking stalls are available for public use.

20D.30.10 Affordable Housing.

20D.30.10-010 Purpose.

The purpose of this section is to:

- (1) Implement through regulations the responsibility of the City under State law to provide for housing opportunities for all economic segments of the community.
- (2) Help address the shortage of housing in the City for persons of low and moderate income, helping to provide opportunities for low- and moderate-income persons who work in the City to live here, rather than in locations distant from employment that contribute to increased length and number of vehicle trips.
- (3) Help assure an adequate affordable housing supply in the City by offsetting the pressure on housing costs resulting from high job growth and construction of high-end housing.
- (4) Preserve land for affordable housing as the City continues to grow.
- (5) Promote development of housing that would not otherwise be built in the City. (Ord. 2249; Ord. 2126; Ord. 1756. Formerly 20C.20.016)

20D.30.10-020 General.

This section applies to: (1) all new senior housing developments and congregate care senior dwelling units, not including nursing homes; (2) all new dwelling units within the City Center [and Overlake Neighborhoods](#), and (3) all new single-family attached and detached dwelling units within the Willows/Rose Hill Neighborhood, within the Grass Lawn Neighborhood, and within the North Redmond Neighborhood. In areas where density limitation is expressed as a floor area ratio (FAR), density bonuses will be calculated as an equivalent FAR bonus.

- (1) Affordable Housing. At least 10 percent of the units in new housing developments of 10 units or greater must be affordable units. At least one bonus market rate unit is permitted for each affordable unit provided, up to 15 percent above the maximum allowed density permitted on the site. For example, if the maximum allowed density for the site is 20 units per acre, the density bonus shall not exceed three units per acre, yielding a total allowed density, with bonus, of 23 units per acre, or, 20 units x 15 percent = 23 units. [In portions of Overlake where density limits are expressed as a floor area ratio, the equivalent floor area bonus for each affordable unit provided may be used to add up to one additional floor above the maximum building height specified in RCDG 20C.45.30.50-020, Site Requirements Chart - Overlake Districts.](#) The bonuses granted under this provision are in addition to any bonuses granted for senior housing under RCDG 20D.30.15, Affordable Senior Housing Bonus.
- (2) Affordable Housing – Low Cost Units. Each low cost affordable unit provided counts as two affordable units for the purpose of satisfying the affordable unit requirement under subsection (1) of this section. For purposes of computing bonus market rate units under subsection (1) of this section, two bonus market rate units are permitted for each low cost affordable unit provided, up to 20 percent above the maximum density permitted on the site.
- (3) Affordable Housing Calculation. The number of required affordable housing units is determined by rounding fractional numbers up to the nearest whole number from 0.5. The project proponent may propose to provide alternative payments for fractional portions of units, as provided for in RCDG 20D.30.10-030(2)(b).
- (4) Housing Construction Timing. Affordable home construction shall be concurrent with construction of market rate dwelling units unless the requirements of this section are met through RCDG 20D.30.10-030, Alternative Compliance Methods.
- (5) Duration. An agreement in a form approved by the City must be recorded with the King County Department of Records and Elections to stipulate conditions under which required affordable housing

units will remain as affordable housing for the life of the development. This agreement shall be a covenant running with the land, binding on the assigns, heirs, and successors of the applicant. Prior to the issuance of any building permit, the owner shall sign any necessary agreements with the City to implement these requirements. The City may agree, at its sole discretion, to subordinate any affordable housing regulatory agreement for the purpose of enabling the owner to obtain financing for development of the property, consistent with any applicable provision of the Community Development Guide in effect at the time of the issuance of the development permit(s).

Other Proposed Amendments to Existing Overlake Regulations

Existing Regulation	Proposed Change
20C.70.35-030: Duplexes, Threeplexes, and Fourplexes, Supplemental Requirements for the Overlake Neighborhood:	Renumber as 20C.30.70, Multiplex Housing
20C.70.35-020 Buffer Requirements – Supplemental	Renumber as 20C.45.30.50-120, Buffer Requirements Supplemental
20C.70.35-040, Overlake Neighborhood Floor Area Ratio (FAR) and Height Overlays (for portion of Overlake east of 152 nd Avenue NE/SR 520, south of NE 40 th Street, and west of Bel-Red Road.	<ul style="list-style-type: none"> ▪ Show maximum height on new height overlay map for all of Overlake ▪ Delete minimum FAR overlay ▪ Delete maximum FAR overlay; existing requirements for buffers and height limits achieve much of this intent
20C.70.35-050, Interjurisdictional Review and Cooperation	Renumber as 20C.45.30.50-130, Interjurisdictional Review and Cooperation
20C.70.35-060, Overlake Design District	Retain on an interim basis until review and action on a pending Comprehensive Plan and Redmond Community Development Guide Amendment by representatives of Group Health
20C.70.35-070, Overlake SEPA Planned Action	<ul style="list-style-type: none"> ▪ Renumber as 20C.45.30.50-140, Interjurisdictional Review and Cooperation ▪ Propose update as part of phase 2 amendments for Overlake

RCDG 20C.45.40-130
REVISED DRAFT OVERLAKE ARTERIAL STREETS CROSS SECTIONS**
March 22, 2007

REVISED DRAFT OVERLAKE ARTERIAL STREETS CROSS SECTIONS** March 22, 2007							Street Cross Section															
							Southbound/Westbound						Northbound/Eastbound									
							Ped. Zone		Street						Ped. Zone							
Street	From	To	Functional Class	Multimodal Corridor	Street Character	Primary Adjacent Land Use (Building)	Sidewalk	5' Planting Strip or 4' Furniture Zone with Tree Grates	On-Street Parking	Bike Lane	GP Lanes	Median / Two Way Left Turn Lane (5)	GP Lanes	Bike Lanes	On Street Parking	5' Planting Strip or 4' Furniture Zone with Tree Grates	Sidewalk	Mid-Block Right-of-Way Width	Width to Back of Sidewalk	Curb-to-Curb Width	Setback Zone (4)	Cross Section
148th Ave NE (1)	SR 520 Eastbound Off-Ramp	NE 60th St	Principal	Yes		Overlake Village	8	5	0	0	24*	12	24*	0	0	5	12	90	90	60	1	A
148th Ave NE (1)	NE 20th St	SR 520 Eastbound Off-Ramp	Principal	Yes		Employment Area	8	5	0	0	24*	12	24*	0	0	5	8	90	86	60	1	B
150th Ave NE	NE 36th St	NE 51st St	Collector	No		Employment Area	6	5	0	5.5	11	12	11	5.5	0	5	6	70	67	45	1	C
151st Ave NE (2)	NE 20th St	NE 28th St	Local - Activity Center	No		Overlake Village	8	4	8	0	11	12	11	0	8	4	8	74	74	50	2-8	D
152nd Ave NE (3)	NE 20th St	NE 31st St	Collector	Yes		Overlake Village	12	4	8	5	12	12	12	5	8	4	12	94	94	62	4-8	E
156th Ave NE	NE 51st St	NE 60th St	Collector	No		Residential Area	6	5	8	5	11	0	11	5	8	5	6	70	70	48	1	NA
156th Ave NE (1)	Bel-Red Rd	NE 51st St	Minor	Yes		Employment Area	8	5	0	0	24*	12	24*	0	0	5	12	90	90	60	1	A
Bel-Red Rd	NE 40th St	W Lake Sammamish Pkwy	Principal	No		Residential Area	6	5	0	5.5	22	12	22	5.5	0	5	6	90	89	67	1	F
Bel-Red Rd	NE 30th St	NE 40th St	Principal	No		Residential Area	6	5	0	5.5	22	0	22	5.5	0	5	6	90	77	55	1	G
Bel-Red Rd	NE 20th St	NE 30th St	Principal	No		Residential Area	6	5	0	5.5	22	12	22	5.5	0	5	6	90	89	67	1	G
NE 22nd St (2)	148th Ave NE	Bel-Red Rd	Local - Activity Center	No		Overlake Village	8	4	8	0	11	12	11	0	8	4	8	74	74	50	2-8	D
NE 24th St	148th Ave NE	Bel-Red Rd	Minor	Yes		Overlake Village	8	5	0	0	22	12	22	0	0	5	8	82	82	56	2-8	H
NE 28th St (2)	151st Ave NE	156th Ave NE	Local - Activity Center	No		Overlake Village	8	4	8	0	11	12	11	0	8	4	8	74	74	50	2-8	D
NE 31st St	152nd Ave NE	156th Ave NE	Collector	Yes		Employment Area	6	5	0	5.5	11	12	11	5.5	0	5	6	70	67	45	1	C
NE 36th St	148th Ave NE	152nd Ave NE	Collector	No		Employment Area	6	5	0	5.5	11	12	11	5.5	0	5	6	70	67	45	1	C
NE 40th St (1)	159th Ave NE	Bel-Red Rd	Minor	Yes		Residential Area	8	5	0	0	11	12	11	0	0	5	12	70	64	34	1	I
NE 40th St (1)	148th Ave NE	159th Ave NE	Minor	Yes		Employment Area	8	5	0	0	24*	12	24*	0	0	5	12	90	90	60	1	A
NE 51st St	156th Ave NE	W Lake Sammamish Pkwy	Minor	No		Residential Area	6	5	0	5.5	11	12	11	5.5	0	5	6	70	67	45	1	C
NE 51st St	148th Ave NE	156th Ave NE	Minor	Yes		Employment Area	6	5	0	5.5	22	12	22	5.5	0	5	6	90	89	67	1	F
NE 60th St	154th Ave NE	156th Ave NE	Collector	No		Residential Area	6	5	0	5.5	11	12	11	5.5	0	5	6	70	67	45	1	C
W Lake Sammamish Pkwy (1)	Bel-Red Rd	NE 51st St	Principal	Yes		Residential Area	8	5	0	5.5	22	12	22	5.5	0	5	12	100	97	67	1	J

- (1) Separate shared-use path parallel to corridor.
(2) New Connection.
(3) Light rail in the corridor would result in the removal of the median and on-street parking.
(4) Setback applies to both sides and is provided outside of the right of way. The setback in the Overlake Village would be for hardscape improvements and courtyards. In other areas the one foot setback are planitings. This is consistent with Redmond's Transportation Master Plan
(5) Provisions of medians and left turn lane access will need to be determined on a project by project basis, based on traffic speeds, volumes and collision history.

Section of Street in Bellevue

* Outside lane 13 and inside lane 11.

** Guidelines:

- Include minimum project length where standard would be applied. In cases shorter than the minimum then necessary right of way would be dedicated for future project to implement standard.
- When designing intersections refer to pedestrain section of TMP. Establish other guidelines for intersection design as necessary.
- Establish mimimum receiving lane width (13') in Overlake Village area and other areas where streets have one lane in each direction and the use of curb bulbouts are planned.
- In Overlake Village utilities such as power, telephone and cable would be placed under the sidewalk, while in the Employment and Residetial Areas they would be placed in an easement behind the sidewalk.